



CONNECTING PAPER TO TECHNOLOGY

Solutions for
**MAINTENANCE & INSTALLATION
OF INDUSTRIAL MACHINERY**



ABOUT US

SKB-Tech Trade operates as a global trade agency for technical equipment and industrial requirements. We are a strong partner of the paper industry and offer our customers technologically valuable products as well as best service. From our office in Vienna, Austria we serve our customers worldwide.

Our core competency lies in the global sale of products in need of explanation. Due to the simple but powerful structures, our trade agency works with leading manufacturers to specifically address the requirements of dynamic markets and serve them effectively.

Solutions for

RUNNABILITY & COST EFFICIENT PAPER PRODUCTION

STOCK PREPARATION & RAW MATERIAL TESTING

PAPER MANUFACTURING, TRADING & PRINTING

MAINTENANCE & INSTALLATION OF INDUSTRIAL MACHINERY



Your contact person:

Mr. Stefan Kurzböck
Email: stefan@skb-techtrade.com
Mobile: 0043 664 32 33 719



SKB-TOOLING SERVICE

To implement good ideas, you need professional tools!

We are particularly pleased to work with Bosch Professional as a globally renowned manufacturer of quality tools. We attach the greatest importance not just to the longevity of the products, but also to the fact that they facilitate the daily work of our customers.

We ship our tools globally. Moreover, we are happy to take care of the logistics to the agreed destination. For every order, you will be sent a tracking number with which you can always track where your goods are and when they arrive. We are known as a reliable partner on the market and fully dedicated to building a successful and long-term cooperation with our customers. Our tooling service supports you in:

- Maintenance of machinery to avoid any down-times
- Installation project in Asia
- Dismantling project in USA or Europe



Agent service

- Fluid filtration systems



- Filters for hydraulic & lubrication
- Compressed air systems
- Lifting gears and equipment



Second hand equipment

Second-hand equipment is a cost-effective alternative to the purchase of a new acquisition. Our range includes a hand-picked selection of machinery, measurement instruments and tools. Naturally, these are of high quality and from leading manufacturers. In stock Vienna, Austria, we ship our second-hand equipment worldwide. Used equipment from established brand manufacturers provides significant savings, especially in countries where high import duties are incurred.

- Powertools (brands: HILTI, Makita, Bosch Professional)
- Welding equipment (brands: Fronius, Kemppi)
- Measurement instruments
- Sourcing service as per customer requirements

INSTALLATION

Measuring technology



Optical Level – GOL 32 D Professional

Robust and reliable – ideal for outdoor and heavy duty use

Unit of measure	360 degrees
Magnification	32 x
Accuracy	1 mm at 30 m



Measuring Wheel – GWM 40 Professional

The robust measuring wheel for jobsite use

Max. measured value	9999.99 m
Wheel diameter (circumference)	389.1 mm (1.22 m)
Material	Steel



Digital Inclinometer – GIM 60 L Professional

Laser-accurate incline transfer over longer distances

Length	60 cm
Measurement range	0 – 360° (4 x 90°)
Electronics measurement accuracy 0°/90°	± 0.05°



Building Tripod – BT 300 HD Professional

Robust aluminium construction with crank pull-out and quick lock

Work height	122 – 295 cm
Weight, approx.	7.2 kg



Detector – D-tect 150 wallscanner Professional

Maximum precision for maximum safety when drilling

Detection depth, steel, max.	150 mm
Detection depth, copper, max.	150 mm
Max. detection depth	150 mm



Rotation Laser – GRL 500 HV + LR 50 Professional

The first rotation laser with theft protection for all levelling work

Working range with receiver	500 m (Diameter)
Accuracy	± 0.05 mm/m horizontal. ± 0,1 mm/m vertical
Self-levelling range	± 5.7° (10%)



Measuring Rod – GR 500 Professional

For all measurements of floor heights

Length	5.0 m
Sections	5
Units of measurement	m/cm



Line Laser – GLL 3-80 CG Professional

Green laser lines for maximum visibility in 3 x 360°. Simply Connected.

Working range with receiver	120 m (diameter)
Working range	30 m
Accuracy	± 0.2 mm/m



Laser Measure – GLM 100 C Professional

Direct digital transfer of measuring results

Measurement range	0.05 – 100.00
Measurement accuracy	± 1.5 mm
Weight, approx	0.14 kg
Battery lifetime, measurements, approx.	25,000



Laser Measure – GLM 250 VF Professional

The laser measure with the longest range

Measurement range	0.05 – 250.00
Measurement accuracy	± 1.0 mm
Weight, approx.	0.24 kg
Battery lifetime, measurements, approx.	30,000

DISMANTLING

Screwing



Impact Wrench – GDS 30 Professional

The powerful tool for large screwdriving applications

Rated power input	920 W
Screw diameter	max. M 30
Torque, max. (hard screwdriving applications)	1,000 Nm



Cordless Impact Wrench – GDS 18 V-LI HT Professional

The most powerful 18 volt cordless impact wrench

Battery voltage	18 V
Torque, max.	650 Nm
Screw diameter	M 12 – M 20



Cordless Impact Wrench – GDS 18 V-LI Professional

The first 18-volt impact wrench with flexible battery system

Battery voltage	18 V
Torque, max.	180 Nm
Screw diameter	M 6 – M 16



Cordless Impact Wrench – GDR 12V-LI Professional

The shortest cordless impact driver in its class

Battery voltage	12 V
Torque, max.	105 Nm
Screw diameter	M 4 – M 12



Cordless Angle Wrench – GWB 12V-10 Professional

The most compact lithium-ion cordless angle driver

Battery voltage	12 V
Max. screw diameter	6 mm
Weight incl. batterie	1.2 kg

On request, we can supply industrial Impact Wrench and accessories for extremely high torque:

- Cordless powered: Max. torque up to 4,000 Nm
- Electrically powered: Max. torque up to 3,400 Nm
- Pneumatically powered: Max. torque up to 15,000 Nm

CUTTING & METALWORK'S



Cordless Sabre Saw – GSA 18V-32 Professional
Comfortable Handling in the 18V class

Battery voltage	18 V
Cutting depth in metal profiles & pipes	175 mm
Stroke lengths	32 mm



Cordless Band Saw – GCB 18V-LI Professional
The most compact cordless band saw in its class

Battery voltage	18 V
Max. cutting depth	63.5 mm



Jigsaw – GST 25 Metal Professional
Precise sawing in metal – with a system

Rated power input	670 W
Cutting depth in aluminium	25 mm
Cutting depth in non-alloyed steel	15 mm



Cordless Angle Grinder – GWS 12V-76 Professional
Pure enthusiasm - the most compact angle grinder

Battery voltage	12 V
No-load speed	19,500 rpm
Grinding/cutting disc, diameter	76 mm



Cordless Angle Grinder – GWS 18V-125 SC Professional
The Next Level in Power and Tool Control in the 18 Volt Class

Battery voltage	18 V
No-load speed	4,500 – 9,000 rpm
Grinding/cutting disc, diameter	125 mm



Angle Grinder – GWS 24-230 LVI Professional
The powerful tool with the lowest weight

Rated power input	2,400 W
No-load speed	6,500 rpm
Disc diameter	230 mm



Cordless Nibbling Tool – GNA 18V-16 Professional
The cordless tool for cutting sheet metal

Battery voltage	18 V
Cutting capacity in steel (400 N/mm ²), max.	1.6 mm
Cutting capacity in Aluminium (250 N/mm ²), max.	2.0 mm



Electric File – GEF 7 E Professional
The handy tool for difficult positions

Rated power input	720 W
Belt, length	457 mm
Belt speed	3.5 - 12 m/s



Tube Belt Sander – GRB 14 CE Professional
The reliable tool for optimum handling

Rated power input	1,400 W
Belt, length	760 mm
Belt speed	2.7 - 8.5 m/s

DRILLING & MORTISING



Cordless Rotary Hammer – GHB 18V-26F Professional

More power, more comfort and less dust

Battery voltage	18 V
Max. impact energy	2.6 J
Drilling dia. in concrete with hammer drill bits	4 – 26 mm



Cordless Rotary Hammer – GHB 36 V-LI Plus Professional

Endless power and absolute control

Battery voltage	36 V
Max. impact energy	3.2 J
Drilling dia. in concrete with hammer drill bits	4 – 28 mm



Rotary Hammer SDS-max – GBH 5-40 DCE Professional

The fast all-rounder with Vibration Control

Rated power input	1,150 W
Impact energy	8.8 J
Drilling dia. concrete, hammer drill bits	12 – 40 mm



Rotary Hammer SDS-max – GBH 12-52 DV Professional

The most powerful rotary hammer from Bosch – with Vibration Control

Rated power input	1,700 W
Impact energy	19 J
Drilling dia. concrete, hammer drill bits	12 – 52 mm



Demolition Hammer SDS-max – GSH 11 VC Professional

The most powerful 11kg breaker from Bosch

Rated power input	1,700 W
Impact energy	23 J
Weight	11.4 kg



Breaker – GSH 27 VC Professional

The most powerful electric breaker from Bosch

Rated power input	2,000 W
Impact energy	62 J
Weight	29.5 kg

DIAMONT TECHNOLOGY



Impact Drill – GDB 180 WE Professional

The compact power tool for drilling up to 180 mm in cement

Rated power input	2,000 W
Drill spindle connecting thread	1 1/4" UNC
Weight	5.2 kg



Drill Rig – GCR 180 Professional

Suitable for impact drill GDB 180 WE

Length of column	767 mm
Drilling movement	514 mm
Weight	9.5 kg



Impact Drill – GDB 350 WE Professional

Most powerful drilling of cement - for holes up to 350 mm in diameter

Rated power input	3,200 W
Drill spindle connecting thread	1 1/4" UNC
Weight	11.9 kg



Drill Rig – GCR 350 Professional

Suitable for impact drill GDB 3500 WE

Length of column	955 mm
Drilling movement	580 mm
Weight	12.6 kg



Cement Grinder – GBR 15 CAG Professional

Powerful grinding of cement in all areas

Rated power input	1,500 W
No-load speed	9,300 rpm
Grinding head, diameter	125 mm



Wall Chaser – GNF 65 A

The most powerful wall chaser from Bosch

Rated power input	2,400 W
No-load speed	5,200 rpm

MAINTENANCE SOLUTIONS

Rope accessories

We are offering a range of accessories and useful tools, especially for ropes used in paper machine application.



Splicing tools

- Splicing needle
- Scissor
- Stretchers



Rope Cart

Cart for transportation and storage of rope. Through the cart the rope can be installed in the machine without any twist.

Light solutions

The maintenance work in industrial plant usually has to be done under dark conditions. To ensure that the maintenance team can see also the smallest details, it's required to have a very good light with you. We are offering a range of high quality battery lights which illuminate any part of a factory with an advanced battery runtime.



Corless lamp - GLI 18V-1900C Professional

The first worklight with smartphone remote control via Bluetooth

Battery voltage	14.4-18 V
Luminous flux	1900 lumen
Weight excl. battery	1.8 kg



Corless lamp - GLI VariLED Professional

The brightest pocket-sized worklight

Battery voltage	14.4-18 V
Luminous flux	420 lumen
Weight excl. battery	0.3 kg



Corless lamp - GLI PortaLED 136 Professional

Perfect lighting for every job!

Battery voltage	14.4-18 V
Weight excl. battery	3.5 kg



Corless lamp - GLI 12V-330 Professional

The versatile worklight

Battery voltage	12 V
Luminous flux	330 lumen
Weight excl. battery	0.3 kg

Inspection systems



Corless Inspection Camera - GIC 120 C Professional

Convenient inspection and documentation of hard-to-reach areas

Display resolution	320 x 240 px
Display size	3.5 "
Battery voltage	12 V
Diameter of camera head	8.5 mm
Length of camera cable	120 cm



Thermo Detector - GIS 1000 C Professional

Measurement range	-40 °C ... +1000 °C
Measuring accuracy of IR	±1.0 °C
Resolution	0.1 °C
Measuring accuracy of relative humidity	± 2%
Memory type	Internal memory
File format of image	.jpg
Shock protection	1 m
Display type	TFT LCD
Size of display	2,8"
Operating temperature	-10 – 50 °C
Storage temperature	-20 – 70 °C
Working range	0,1 – 5 m

Wire cleaning Chemicals



POS	Product name	Function
1	Forming Wire Agent SN-560	Keep the forming wire & felt clean to prolong the life time
2	Felt Cleaning Agent SN-580	



www.skb-techtrade.com

find us: Social media icons for YouTube, Facebook, LinkedIn, and X (Twitter).